

SPECIMEN LABEL



RELIC™

DEPOSITION AID • DRIFT REDUCTION AGENT
NONIONIC SURFACTANT • PENETRANT

Principal Functioning Agents

Fatty Acid Complex Alkoxyolate, Oligomeric Resin, Isomeric Alcohol Alkoxyolate.....100%

TOTAL...100%

All ingredients are exempt from the requirement of a tolerance under 40 CFR 180.



WARNING

KEEP OUT OF REACH OF CHILDREN

READ ENTIRE LABEL BEFORE USING

Hazard Statements

Causes serious eye irritation.

Precautionary Statements

Avoid breathing dust, fume, gas, mist, vapors and spray. Wash thoroughly after handling. Wear protective gloves/clothing and eye/face protection.

First Aid

If in Eyes: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do; continue rinsing. If eye irritation persists, get medical attention.

If Swallowed: Rinse mouth. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. If you feel unwell, call a poison control center or physician immediately for treatment advice.

If Inhaled: Move person to fresh air and keep at rest in a position comfortable for breathing. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. If you feel unwell, call a poison control center or physician for further treatment advice.

If on Skin or Clothing: Rinse skin immediately with plenty of soap and water for 15 to 20 minutes. If skin irritation occurs, get medical attention. Take off contaminated clothing and wash before reuse.

Emergency Phone Numbers

Have the product container with you when calling a poison control center or doctor, or going for treatment.

CHEMTREC: (800) 424-9300

POISON CONTROL CENTER: (800) 222-1222

Do Not Allow Product to Freeze!

NOT FOR AQUATIC USE

General Information

RELIC is a proprietary tank mix adjuvant featuring a drift and deposition enhancing agent intended for use with a range of crop protection tank mix partners.

RELIC maximizes spray application performance by improving coverage, reducing spray droplet bounce, and providing enhanced retention and infiltration on the targeted leaf surface.

RELIC suppresses off-target drift by providing a more uniform pattern and velocity of the spray droplets.

RELIC can be used with air assist and conventional spray nozzles for applications including but not limited to herbicides, desiccants, insecticides, fungicides, and plant-growth regulators.

Many factors affect off-target drift such as spray boom height, nozzle configuration, spray pressure, temperature, wind, and thermal inversion.

RELIC will not eliminate all drift.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal of this product.

Storage: DO NOT FREEZE! Keep this container tightly closed. Store above 25° F. Store in original container. Store in a closed container. Store in a dry place. Store in a well-ventilated space. Keep cool.

Product Disposal: Wastes resulting from the use of this product must be disposed of on-site or at an approved waste disposal facility. Dispose of contents in accordance with local and national regulations.

Container Disposal: Do not contaminate water sources by cleaning of equipment or disposal of wastewaters. Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit www.agrecycling.org. Decontaminated containers may also be disposed of in a sanitary landfill. Dispose of containers in accordance with local and national regulations.

RELIC is a trademark of Plantnetics, LLC

Manufactured for:



15814 Champion Forest Drive, #191
Spring, TX 77379

832-843-3199 • www.plantnetics.com

Directions For Use

Always read and follow label instructions of accompanying pesticide product. The addition of an adjuvant to some pesticides may increase the risk of phytotoxicity to certain susceptible crops, especially during periods of high humidity or other circumstances which may increase the activity of spray solutions. Care should be exercised when using on new varieties or crops not previously treated with RELIC.

Recommended Rate For Herbicides*: 2 to 3 ounces per acre in 5 to 25 gallons per acre spray rate.

Recommended Rate For Fungicides & Insecticides*: 2 ounces per acre in 5 to 25 gallons per acre spray rate.

*Do not exceed 2 quarts of RELIC per 100 gallons.

Direct Injection Rates For Herbicides: 2 to 3 ounces per acre in 5 to 25 gallons per acre spray rate.

Direct Injection Rates For Fungicides & Insecticides: 2 ounces per acre in 5 to 25 gallons per acre spray rate.

For Direct Injection

RELIC can be applied through injection systems when added to one of the system's chemical injection tanks. An in-line mixing chamber is recommended.

- First, add RELIC to the chemical injection tank;
- Second, pump the correct amount of RELIC into the line;
- Third, pump the proper amount of water, pesticide, fertilizer and other adjuvants into the line, for mixing with RELIC and chemicals, before going into the spray boom.

Mixing Instructions

Add RELIC after pesticides or other adjuvants are introduced to spray mixture but prior to completing the filling of the spray tank. Before making large scale applications, conduct a jar test containing all ingredients to confirm compatibility.

Warranty

Note: Read the information contained herein before buying or using this product. If the stated terms are not acceptable, return the product at once, unopened. It is critical that this product be used and mixed only as specified on this label. Neither the manufacturer nor the seller makes any representation or warranty, expressed or implied, with respect to the results from the use of this material. Buyer and user assume all risks of use and/or handling. Plantnetics, LLC warrants that this material is reasonably fit for use as specified on this label. No agent or representative is authorized to make any other representations concerning this material. Unforeseen factors beyond Plantnetics' control prevent elimination of risks in connection with the use of its products. Such risks include, but are not limited to, damage to plants and/or crops to which the material is applied, or lack of complete control and damage caused by drift to other plants or crops. Such risks may occur even though the product is reasonably fit for use as stated herein and even though label directions are followed. Follow directions carefully. Timing, mixture, method of application, weather and other conditions are influencing factors in the use of this product and are beyond the control of the seller. Except to the extent prohibited by applicable law, the exclusive remedy of the user or buyer and the limit of liability of the company or any other seller for any and all losses, personal injuries or damages resulting from the use of this product, shall be the purchase price paid by the user or buyer for the quantity of product involved.